



Round connector K1.00

Product characteristics

- Preassembled cable sets with open end
- M12 connector compatible with all sensors and T-connectors with 4-pin/8-pin circular connector and M12 thread
- High protection class
- Various cable lengths available

Technical drawing

IMAGE 1/6

K14.00.

female M12




IMAGE 2/6

female M12




IMAGE 3/6






IMAGE 4/6

K18.00.

female M12




IMAGE 5/6

female M12




IMAGE 6/6

1) _____ **BN**

2) _____ **WH**

3) _____ **BU**

4) _____ **BK**

5) _____ **GY**

6) _____ **PK**

7) _____ **VT**

8) _____ **OG**

Product options

IMAGE 1/1

ORDERING KEY

K14				Cable set 4-pin
	G			Sheath material PVC, black
	H			Sheath material PUR, black
		001		Cable length 1 m
		003		Cable length 3 m
		005		Cable length 5 m
		000		Cable length 10 m
			-	Metal coupling ring
			K	Plastic coupling ring (only with sheath material PVC, black)
				Other cable materials and cable lengths on request

K18				Cable set 8-pin
	G	001		Cable length 1 m
		003		Cable length 3 m
		005		Cable length 5 m
		000		Cable length 10 m
			K	Plastic coupling ring
				Other cable materials and cable lengths on request